

INDIAN NOTICES TO MARINERS



EDITION NO. 24 DATED 16 DEC 2017

(CONTAINS NOTICES 170 TO 178)

REACH US 24 x 7



in的角度@navy.gov.in
msis-inho@navy.gov.in



+91-135-2748373



National Hydrographic Office
107-A, Rajpur Road
Dehradun – 248001
INDIA



Joint Director of Hydrography
Maritime Safety Information Services
+91- 135 - 2746290-117


www.hydrobharat.gov.in

CONTENTS

Section No.	Title
I	List of Charts Affected
II	Permanent Notices
III	Temporary and Preliminary Notices
IV	Marine Information
V	NAVAREA VIII Warnings in force
VI	Corrections to Sailing Directions
VII	Corrections to List of Lights
VIII	Corrections to List of Radio Signals
IX	Reporting of Navigational Dangers

(PUBLISHED ON NHO WEBSITE ON 1ST & 16TH OF EVERY MONTH)

FEEDBACK: msis-inho@navy.gov.in



INSIST ON INDIAN CHARTS AND
PUBLICATIONS
Original, Authentic and Up-to-Date



© Govt. of India Copyright

No permission is required to make copies of these Notices. However, such copies are not to be commercially sold.

II

MARINER'S OBLIGATION AND A CHART MAKER'S PLEA

Observing changes at sea proactively and reporting them promptly to the concerned charting agency, is an obligation that all mariners owe to the entire maritime community towards SOLAS. Mariners are requested to notify the Chief Hydrographer to the Government of India at the above mentioned address/fax number/ E mail address immediately on discovering new or suspected dangers to navigation, changes/defects pertaining to navigational aids, and shortcomings in Indian charts/publications. The Hydrographic Note [Form IH – 102] is a convenient form to notify such changes. Specimen form is attached at Section IX with this notice. Also visit our website for downloading and filling up instructions for Hydrographic Note.

**Chief Hydrographer
to the Government of India**

WARNING AGAINST USE OF COUNTERFEIT PRODUCTS

All mariners are cautioned against the use of counterfeit copies of IN Charts and publications. Navigational Charts produced after 31 Oct 14 carry NHO crest as watermark on the reverse with backslip. Chart Agent's stamp is mandatory on all Charts.

Counterfeit products may have errors resulting in potential risks. The same are not approved by inspecting agencies and do not satisfy the carriage requirements of SOLAS chapter V.

Mariners are strongly advised not to use or encourage the use of counterfeit charts and publications. Failure to comply with the warning may invite legal action.

III

EXPLANATORY NOTES

Corrections to Charts and Publications. Section I comprises List of Charts affected by the notices contained in this edition. Whereas sections II and III contain information for correcting the charts and publications. Mariners should insist on corrected charts from their chart distributors/agents.

- (a) Geographical positions given are in the horizontal datum of the current edition of the chart, unless otherwise stated.
- (b) Bearings are true, reckoned clockwise from 000° to 359°. Bearings to lights are from seaward.
- (c) Symbols referred to, are those shown on the chart 5020 (INT 1).
- (d) Alterations to depth contours, deletion of depths to make way for new detail, etc; are not normally mentioned, unless they have some navigational significance.
- (e) Blocks and notes, if any, accompanying the Notices in Sections II and III are placed after Section IX.

Temporary and Preliminary Notices. These are indicated by (T) and (P) respectively after the Notice number and are placed in Section III. SI Nos. of those in force are published quarterly on 01 Jan, 01 Apr, 01 Jul and 01 Oct, and their text is published in Annual Edition of Indian Notices to Mariners. They should be inserted in pencil, by the user, on receipt.

Source of Information. A star preceding the number of a Notice indicates that the notice is promulgated by INHO based on original information received.

Sailing Directions. Corrections for the Sailing Directions (Pilots) are given in Section VI.

Lights. Corrections to Indian List of Lights are given in Section VII, where affected Light List number is quoted.

- (a) These corrections should be incorporated as per instructions given on page XI of the List of Lights.
- (b) Such correction notices to list of lights may be published in either an earlier or a later Edition of N to M than the Edition containing the Notice to the chart correction.
- (c) The range of a light given is its nominal range. Its geographical range is given in parenthesis only if it is less than the nominal range.
- (d) A star indicates that the corresponding field is to be amended and all stars indicate that new light is to be inserted.

Radio Signals. The corrections in Section VIII should be cut and pasted in the appropriate volume of the List of Radio Signals.

Radio Navigational Warnings.

- (a) These are broadcast as serially numbered NAVAREA warnings by the concerned NAVAREA coordinator through GMDSS and Area Radio Broadcasts.
- (b) They contain important information affecting navigational safety, which cannot await the publication of the next edition of N to M.
- (c) It should be borne in mind that they may be based on reports which cannot always be verified before promulgation.
- (d) It is therefore necessary to be selective, and promulgate only the more important warnings to avoid over loading users; the less important information is included in the forthcoming edition of N to M or the Chart/publication concerned.

IV

Laws and Regulations. While in the interest of the safety of shipping, the Hydrographic Office makes every endeavor to include in its publications details of the laws and regulations of all countries pertaining to navigation, it must be clearly understood: -

- (a) That no liability whatsoever can be accepted for failure to publish details of any particular law or regulation and
- (b) That publication of details of a law or regulation is solely for the safety and convenience of shipping and implies no recognition of the International validity of the law or regulation.

Correction of Charts and Publications by the Users. Notices to Mariners contain important information concerning safety of navigation at sea, hence, they should be used to keep the specified charts and publications up-to-date.

Reliance on Charts and Associated Publications. While every effort is made by the Hydrographic Office to ensure the accuracy of the information on Charts and Publications before they are published, it should be appreciated that it may not always be complete and up-to-date. The mariner must be the final judge for the reliance he can place on the information available, bearing in mind his particular circumstances, local pilotage guidance and judicious use of available navigational aids.

Use of Global Positioning System (WGS 84) positions.

- (a) The positions of hydrographic objects shown on some of the Indian charts and publications are in Everest datum. However, the positions of vessels obtained from Global Positioning System (GPS) are on World Geodetic System 1984 datum. There will always exist a difference in the position values obtained by visual fixing (Everest Datum) and GPS position (WGS 84 datum).
- (b) Wherever these differences have been ascertained, their average values are published as a Cautionary Note on the chart concerned, as shifts in Latitude and Longitude. Whilst plotting GPS positions on charts, the shift values as given on the chart must be applied, before making any assessment of the navigational situation vis-à-vis the other charted information.
- (c) These datum shift values are not uniform, particularly in areas off Andaman and Nicobar and Lakshadweep Islands, as these places are not linked to mainland network (Everest datum). Mariners are advised to use alternate source of position information such as Visual or Radar, particularly when closing the shore or navigating in the vicinity of dangers.

Source Data on Charts. All Indian charts contain specific information on their source of hydrographic data. In areas where the source data is very old, incomplete and less reliable, the mariner must use such charts with prudence. Mariner should always use the largest scale charts available for the area. Apart from being the most detailed, the larger scale charts are usually corrected first. Hydrographic information may be sparse on small scale charts. On such charts, a charted shoal may be in error as regards position, least depth and extent. Uncharted dangers may also exist, particularly in areas away from well-established routes. Mariners must exercise due caution.

Further Guidance. The Mariner's Hand Book (NP 100) gives full explanation on the use of charts and the type of information contained on charts. In their own interest, all users of charts should refer to it.

NEWLY PUBLISHED INDIAN CHARTS, ENC'S AND PUBLICATION

1. The forthcoming Indian Charts are as follows:-

<i>Chart No</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
301	APPROACHES TO HUGLI RIVER	1,50,000	New Chart
351 (INT 7419)	PARADIP TO PUSSUR RIVER	3,00,000	New Chart
2005	APPROACHES GODIA CREEK	50,000	New Chart
2551	APPROACHES TO PORT VICTORIA	35,000	New Chart
3006 (INT 7423)	HUGLI RIVER;		New Chart
	KUKRAHATI REACH TO ROYAPUR CROSSING	37,500	
	ROYAPUR CROSSING TO CALCUTTA DOCKS	37,500	
	CALCUTTA DOCKS	17,500	
3009 (INT 7407)	KAKINADA PORT	10,000	New Chart
	KAKINADA ANCHORAGE	25,000	
3011 (INT 7421)	HUGLI RIVER – GASPER CHANNEL TO HALDIA	75,000	New Chart
3028 (INT 7404)	KAMARAJAR PORT	12,500	New Edition

2. The new Indian Publications that are available for mariners in the market are as follows:-

<i>Title of Publication</i>	<i>Edition</i>
West Coast of India Pilot (INP 1)	2017
Indian List of Radio Signals – Volume 5	2017

Availability of ENC's


The complete folios of Official Indian ENC's are distributed worldwide through JEPPESEN MARINE (formerly C-MAP), UKHO and Norwegian Hydrographic Service. UKHO distributes Indian ENC's through the world wide network of their agents and distributors. Updates are also made available as per the existing policy of the distributor. Mariners and other ENC users may contact the under mentioned for further details:

United Kingdom Hydrographic Office Admiralty Way, Taunton, Somerset TA1 2DN, UK Tel: +44 (0) 1823 337900 Fax: +44 (0) 1823 330561, 1823 284077 Web site: www.hydro.gov.uk	C-MAP Norway AS Nyaskaiveien 2, 4379 Egersund, Norway Ph: +47 51 464700, +91 2262233326 Mob: +91 9820238542 Fax: +47 51 464701, +91 2267939504 Email: enc@c-map.com , info@c-map.co.no Website: www.c-map.com
M/s Primar Norwegian Hydrographic Service, Postbox 60, 4001 Stavanger Norway Telephone - +47 - 51 85 87 00 Fax - + 47 - 51 85 87 08 E-mail: data@ecc.no Website: - www.primar.org	M/s IIC Technologies Limited B-2-350/5/B-22, Road No. 3 Banjara Hills Hyderabad - 500 034 Telangana Tel:+91 4039144444 Fax: +91 4039144455 Email: somnath.marthi@iictechnologies.com Web: www.iictechnologies.com

SECTION – I

The list of charts affected by the Notices 170 to 178 contained in this edition is as follows:

CHART NUMBER	FOLIO NO.	NOTICE NO.
31 (INT 756)	5	172
32 (INT 754)	5	171
41 (INT 757)	6	175
215	3	170
224	4	171
262 (INT 7365)	4	171
288	1	173
319	7	172
357 (I(NT 7397)	5	178(T)
360	7	172
361	7	172
2088	1	176
2089	1	174
2504 (INT 77392)	1	177
2505 (INT 77393)	1	177
3033	5	178(T)



SECTION – II
PERMANENT NOTICES

***170 (24/17) INDIA – WEST COAST – Vengrula to Betul – Wreck.**

Source: NHO, Dehradun.

Chart 215 [previous update 148/17]

Delete  PA 15° 22′.30N., 73° 42′.50E.

***171 (24/17) INDIA – SOUTH EAST COAST – Gulf of Mannar – Manappad to Setukkarai – Depths.**

Source: DGLL, Chennai.

Chart 32 (INT 754) [previous update 076/17]

Insert  Fl(3)10s30m20M 09° 04′.63N., 78° 21′.90E.

Chart 262 (INT 7365) [previous update 034/15]

Insert  Fl(3)10s30m20M 09° 04′.63N., 78° 21′.90E.

Chart 224 [previous update 034/15]

Insert  Fl(3)10s30m20M 09° 04′.63N., 78° 21′.90E.

172(24/17) BAY OF BENGAL – COAST OF BANGLADESH AND BURMA – Cox’s Bazar to Naaf River – Wrecks.

Source: BA Notice 4419/17.

Chart 31 (INT 756) [previous update 163/17]

Insert  28.5 Wk 20° 51′.20N., 91° 53′.60E.

Chart 360 [previous update 157/17]

Insert  21° 44′.95N., 91° 27′.07E.

Chart 361 [previous update 157/17]

Insert  28.5 Wk 20° 51′.16N., 91° 53′.69E.



21° 44′.96N., 91° 27′.09E.


Chart 319 [previous update 157/17]

Insert  28.5 Wk 20° 51′.20N., 91° 53′.50E.

173(24/17) QATAR TO SHATT AL ARAB – Moored storage tanker

Source: BA Notice 4501/17.

Chart 288 [previous update 165/17]

Insert  29° 07′.50N., 49° 28′.90E.

174 (24/17) OMAN – Outer Approaches to Wudam – Wreck and Buoy.

Source: BA Notice 4661/17.

Chart 2089 [previous update 070/14]

Insert



Al.Oc.BuY.3s

23° 53′.27N., 57° 22′.93E.

23° 53′.42N, 57° 22′.80E.

175 (24/17) BAY OF BENGAL AND ANDAMAN SEA – Andaman Sea – Depth.

Source: BA Notice 5035/17.

Chart 41 (INT 757) [previous update 126/17]

Insert



444 Recp (2017)

06° 51′.30N., 95° 49′.40E.

176 (24/17) OMAN – Approaches to Muscat (Masqat) and Mina Al Fahl – Buoy.

Source: BA Notice 5105/17.

Chart 2088 [previous update 160/17]

Insert



Fl.Y.5s

23° 37′.99N., 58° 22′.68E.

***177 (24/17) Miscellaneous updates to charts.**

Source: NHO Dehradun.

Chart	Previous Updates	Details		
2505 (INT 77393)	167/17	Amend;	F.R	in position; 19° 38′.36S., 63° 24′.44E.
		To;	F.G	
		Amend;	VQ.R(0.5s)	in position; 19° 38′.33S., 63° 24′.52E.
		To;	VQ.G(0.5s)	
		Amend;	VQ.G(0.5s)	in position; 19° 38′.25S., 63° 24′.78E.
		To;	VQ.R(0.5s)	
		Amend;	F.G	in position; 19° 38′.27S., 63° 24′.85E.
		To;	F.R	
Chart	Previous Updates	Details		
2504 (INT 77392)	155/17	Amend;	F.R	in position; 19° 39′.103S., 63° 24′.718E.
		To;	F.G	
		Amend;	VQ.R(0.5s)	in position; 19° 39′.078S., 63° 24′.768E.
		To;	VQ.G(0.5s)	
		Amend;	VQ.G(0.5s)	in position; 19° 39′.030S., 63° 24′.955E.
		To;	VQ.R(0.5s)	
		Amend;	F.G	in position; 19° 39′.032S., 63° 25′.005E.
		To;	F.R	

SECTION – III

TEMPORARY AND PRELIMINARY NOTICES


***178 (T) (24/17) INDIA – WEST COAST – Port of Mormugao – Buoy.**

Source: Karaikal Port.

1. Buoy no. 09 (10° 50′.40N., 079° 52′.84E.) and buoy no.11 (10° 49′.13N., 079° 51′.93E.) shifted to position 10° 50′.43N., 079° 52′.84E. and 10° 50′.456N., 079° 51′.935E. respectively view capital dredging.

2. Vessels are advised to navigate with caution and contact port authorities for latest information.

Charts affected – 357 (INT 7397) – 3033.



SECTION – IV

MARINE INFORMATION

1. NAVTEX TRANSMISSION

Status of MSI Promulgation by NAVTEX Stations is as follows:-

Mauritius (Cassis) - Operational

Seychelles (Mahe) - Operational

Following new Navtex stations along the Indian coast are operating on trial basis:-

INTERNATIONAL NATIONAL NAVTEX FREQUENCY - 518 kHz								
Sl.	Station Name	B1	Broad Cast Timings in UTC					
(a)	Veraval	H	0110	0510	0910	1310	1710	2110
(b)	Vengrula Point	J	0130	0530	0930	1330	1730	2130
(c)	Muttam Point	L	0150	0550	0950	1350	1750	2150
(d)	Porto Novo	O	0220	0620	1020	1420	1820	2220
(e)	Vakalpudi	Q	0240	0640	1040	1440	1840	2240
(f)	Balasore	S	0300	0700	1100	1500	1900	2300
(g)	Keating Point	V	0330	0730	1130	1530	1930	2330

2. MISIDENTIFYING FISHING BOATS AS PIRATE SKIFFS

All merchant vessels entering Indian EEZ are advised that dense fishing activity may be encountered off West Coast of India. Fishing is generally carried out by mechanized boats and single hull boats with outboard motors carrying 4-5 crew using long lines upto 50 NM from coast. The vessels traversing the nets are likely to be approached by fishing boats for safeguarding nets and lines and should not be mistaken as skiffs and PAG's. Masters of vessels to report any suspicious activity of fishing vessels immediately to MRCC (Mumbai) on telephone +91-22-24388065, 24316558, Email: - indsar@vsnl.net, or icgmrc_mumbai@mtnl.net . Any suspicious activity of skiffs / boats to be photographed if possible. Merchant vessels with armed guards on board are to report presence of guards to Indian Navy/Coast Guard while transiting Indian EEZ.

3. DISPLAY ANOMALIES IN ECDIS

(a) Mariners are advised that the International Hydrographic Organization (IHO) check data set shows that some ECDIS systems fail to display some significant underwater features in the standard display mode. The use of this check data set, issued through ENC service providers and available from the IHO website www.iho.int, to check the operation of ECDIS is strongly recommended. JRC has confirmed that certain versions of JRC ECDIS fail to display some types of wreck and obstructions, including stranded wrecks, in any display mode.

Where JRC ECDIS is in use, paper charts should be the primary means of navigation until the ECDIS has been proved to operate correctly. See www.jrc.co.jp/eng/product/marine/whatsnew/20120313/index.html for further information.

(b) Some Electronic Chart Display and Information Systems (ECDIS) may exhibit operating anomalies. The International Maritime Organization's (IMO) circular SN.1/CIRC.312 pages /imodocs.aspx (registration required) lists identified anomalies, Their characteristics and remedial advice. Mariners are reminded that they should access the International Hydrographic Organization (IHO) data presentation and performance check (DPPC) dataset (news links of <http://www.iho.int/srv1>) and ensure that all installed ECDIS units are checked.

4. SAFETY FAIRWAYS, RECOMMENDED ROUTES, TRAFFIC SEPARATION SCHEME

The Director General Shipping has established Safety fairways, recommended routes and traffic separation scheme (TSS) in restricted Indian waters including the offshore development area to enhance safety of navigation. The details of coordinates for the above have been published in the fortnightly Indian Notices to Mariners Edition No 14 of 2008 (16th July 2008).

(a) Safety Fairways: An area within which permits are not granted for the erection of oil or gas related structures. The use of a safety fairway is not usually mandatory, but is recommended. Safety fairways have been promulgated in and round offshore development area in Arabian Sea up to the Exclusive Economic Zone (EEZ) due to increased weather related marine accidents and dense traffic. These are mandatory for all Indian ships and vessels transiting through the ODA and recommendatory for all foreign flag ships and vessels irrespective of size.

(b) Recommended routes have been established along the coast of Gujarat. These are to assist mariners to navigate safely in order to represent the best routes for crossing traffic and to minimize head-on encounters in vicinity of Oilfield Development Areas and regulate coastal traffic. Mariners are advised to keep 1 to 2 miles starboard of the shown routes consistent with Rules of the Road.

(c) Traffic Separation Schemes (TSS). The TSS off Mumbai harbour is mandatory for all Indian and foreign flag ships and vessels entering and leaving Mumbai harbour and Jawaharlal Nehru Port Trust (JNPT)/ Nhava-Sheva harbour irrespective of size.

5. GAGAN SYSTEM COMMISSIONED FOR OPERATIONS

The GAGAN System is now commissioned for safety of life, civil aviation, and en- route operations in addition to all other non-aviation applications. The GAGAN signal is being broadcasted through GSAT-8 and GSAT-10 with PRN127 & 128 respectively.

All the GPS users are requested to enable SBAS functionality in their receivers, configure it to receive PRN-127 & 128 and avail the benefits of GAGAN in terms of increased accuracy and reliability. There may be occasional signal outages due to system up-gradation activities.

6. USAGE OF THURAYA/ IRRIDUM AND SATELLITE PHONE

The use of Thuraya, Iridium and other such satellite phone is banned in India under Sec 6 of Indian Wireless Act and Sec 20 of Indian Telegraph Act. It is intimated to all shipping companies/ shipping agents that use of Thuraya/ Iridium and other such satellite phones are banned in Indian waters and seafarers should not use the same.

Satellite phones can be used only after no objections certificate issued by department of telecommunication (DOT) on a case to case basis. The shipping agents should mandatorily intimate the details of person carrying Thuraya and the particulars of Thuraya, Iridium and other such sets in pre arrival notification on security (PANS).

The unauthorized holders of Thuraya/ Iridium and other such Satellite phones can be prosecuted under Sec 6 of Indian Wireless Act and Sec 20 of Indian Telegraph Act.

7. CAUTIONARY NOTE

There is a finite amount of lag between publication of large and small scale Indian Nautical Charts. To avoid uncertainty the mariners are advised to use large scale charts for coastal navigation wherever applicable and available. In addition, mariners are to refer large scale charts in conjunction with small scale charts in areas where both overlap during both planning and conduct of passage.

List of Indian Chart Agents

<p>OSA Books and Periodicals R-246, Greater Kailash –I, New Delhi - 110 048 Tel/Fax: +91-11-26418643, 46557337, Mob: 9971093992 Email: rpani246@gmail.com</p>	<p>M/s VDO Marine Insrtuments Shanghar Building, PO Bag No – 645, 45/271, Corner of Bristow & Naval Road, Willingdon Island, Kochi – 682 003 Tel: +91 484 2667157 Fax: +91 484 2667121 Email: atmain@md4.vsnl.net.in</p>
<p>M/s Global Charts & Nav. Aids Pvt. Limited 1A, Goa Mansion, Ground Floor, 58, Dr. Sunderlal Bahl Path (Goa Street), Fort, Mumbai - 400 001 Tel: 91-22-22626318, 22626380 Fax: 91-22-22621488 Email: sales@globalcharts.in Web: www.globalcharts.com.sg</p>	<p>E.W.Liner Charts & Publication (India) 2/524, Sandeep Road, Chinna Neelangarai, Chennai - 600041 Tele: +91-44-24490668 Fax: +91-44-24491668 Mob No : +91-9003245348 Email: ewl-india@ewliner.com Web: www.ewliner.com</p>
<p>M/s C & C Marine Combine 25 Bank Street, 1st Floor, Fort Mumbai - 400 023 Tel: 91-22- 22660017/0018/0525/1937 Ext: 32 Tel: 91-22-22672143 Fax: 91-22-22670896 Email: vijay@ccmarine.in , sales@ccmarine.in</p>	<p>Gujarat Pipavav Port Limited PO – Uchchaiya, Dist – Amereli, Gujarat – 365 560 Tele: +91- 2794302400 Fax: 302413 (Only for Pipavav Port Chart)</p>
<p>M/s SVR Chart Agencies Door No.50-81-48/4, Seetammapeta, Visakhapatnam – 530 016 Tel/ Fax: 0891-2799471, Cell: +91-9849120988, 9885797333 Email : mahalakshmitravels99@gmail.com mahalakshmitravels@hotmail.com</p>	<p>SMS Marine Private Ltd 505, Raheja Arcade, Sector 11, CBD Belapur, Navi Mumbai – 400 614 Tel: +91 22 62233326, Fax: +91 22 67939504 Mobile: +91 9820 238 542 Email: info@c-map.co.in, raj.chakravorty@smsmaps.com Web: www.smsmaps.com</p>
<p>M/s JM Maritime Services 24/24C Kavarana Building, Ground Floor, Wadi Bunder, P.D. Mellow Road, Mumbai – 400 009 Tel: +91 22 23736956, Fax: 022 - 23725083 Cell: +91 9820788357 Email : jmms@mtnl.net.in , charts@mtnl.net.in</p>	<p>Global Marine Infratech Pvt. Ltd. Ground Floor, Siksha Sandan, Plot No. ND7, VIP Area, IRC Village, Bhubaneswar – 751015 Tel: +91-674-2550599, Fax: +91-674-2551899 Cell:- +91-9337477799, 7077702499 Email: tusarkantha@gmiindia.in Web: www.gmiindia.in</p>
<p>M/s Lift o Marine Allen’s Mansion, Flat C6, Nungi Station Road, Bata Nagar, Kolkata – 700 140 Tel: +91 9836972027 Fax: 033 24924283 Email: sankar@liftmarine.org Web: www.liftmarine.org</p>	<p>L. R. Marine Services 301, 3rd Floor, Biry House, 265, Perin Nariman Street, Fort, Mumbai - 400 001. Tel: +91-22-2269 1535 Cell No: +91 8108926880/ +91 98214 60258 Email: lrcharts@gmail.com, lrmarine@live.com</p>
<p>M/s Engineering Logistics Executive Multi Services Elems Charts, Door No: 61-4-45-A/4, Prakash Nagar, Malkapuram Visakhapatnam – 530 011 Mob: +91 9133871827 Email: sales@elemscharts.in Web: www.elemscharts.in</p>	<p>M/s IIC Technologies Limited 8-2-350/5/B-22, Road No. 3, Banjara Hills, Hyderabad – 500 034, Telangana Tel: +91 40 39144444 Fax: +91 40 39144455 Email: somnath.marthi@ictechnologies.com sanjeev.sharma@ictechnologies.com Web: www.ictechnologies.com</p>
<p>M/s Zenith Surveys (I) Pvt. Ltd. Lakhani’s Plam View, First Floor, Office No. 889, Sector 48, Nerul, Navi Mumbai – 400 706 Tel/ Fax: +91-22- 27708011 Email: zenithsurveys703@gmail.com nyvmane@yahoo.com Web: www.zenithsurvey.com</p>	

SECTION – V**NAVAREA – VIII WARNINGS IN FORCE**

1. For details of NAVAREA limits and organisation/coordination, please refer to Notice No. 12 of the Special edition of Indian Notice to Mariners – 2012.

2. NAVAREA VIII Warnings in force as on 15 Dec 17:

2016 SERIES – 432 464 572 644 723

2017 SERIES – 016 119 305 345 366 381 394 414 455 485 486 493 511 514 529 543 576 635 685
697 703 710 713 719 723 751 762 780 793 796 805 814 816 821 827 829 834 836 844 846 848
849 852 853 854 857 864 866 869 871 872 873 876 882 883 886 888 892 893 898 899 901 902
903 904 905

3. NAVAREA VIII Warnings issued during the period from 01 Dec to 15 Dec 17 (both dates inclusive) are as tabulated below:–

860. India East Coast – off Gopalpur. CHARTS 31 352 353 INT 71. Army Air Defence firing and BPTA Flight scheduled on 07 and 08 Dec 17 from 0130-0830 and 1030-1430 UTC in area bounded by (A) 19-14.60N 084-53.70E (B) 19-07.39N 085-35.94E (C) 18-33.61N 084-53.74E and arc of 41 NM radius joining point B and C.

2. Cancel this MSG 081530 UTC Dec 17.

861. Bay of Bengal – off Kankasanturai. Charts 32 358 INT 7. Naval firing practice scheduled on 07 Dec 17 from 0230-1130 UTC in danger area extending 5 NM from 09-55N 080-33E.

2. Cancel this MSG 071230 UTC Dec 17.

862. Bay of Bengal – off Trincomalee. Charts 359 3014 INT 71. Naval firing practice scheduled on 07 and 08 Dec 17 from 0330 – 1030 UTC in danger area bounded within 08-20N TO 08-30N and 081-30E to 081-40E.

2. Cancel this MSG 081130 UTC Dec 17.

863. Bay of Bengal – off Trincomalee. Charts 359 3014 INT 71. Naval firing practice scheduled on 08 Dec 17 from 0330 – 0930 UTC in danger area bounded within 08-40N to 08-50N and 081-20E TO 081-30E.

2. Cancel this MSG 081030 UTC Dec 17.

864. Andaman Sea – off Nicobar. Charts 41 INT 71. Seismic Vessel Geo Hindsagar progressing survey in area bounded by 07-05.49N 091-03.06E, 09-44.86N 095-45.63E, 07-37.88N 095-11.24E, 05-33.25N 091-10.33E. Wide berth requested.

2. Cancel this MSG 311830 UTC Dec 17.

865. India East Coast – off Chandrabhaga. Charts 31 352 INT 71. INS Sandhayak progressing hydrographic survey in area bounded within 19-17.5N to 20-08.5N and 085-35.5E to 87-00E.

2. Wide berth of 2 NM from ship and survey boats requested.

3. Cancel this MSG 151830 Dec 17.

866. NE Indian Ocean. Chart INT 71. Triton buoy 17 deployed 04-56.95S 094-58.49E. Wide berth requested.

2. Cancel NAVAREA VIII MSG 837.

867. NE Indian Ocean. Chart INT 71. SLFV Erosh Putha reported adrift 00-46N 086-50E at 040330 UTC Dec 17.

2. Cancel this MSG 070330 UTC Dec 17.

868. Cancel NAVAREA VIII MSG 778 and this MSG.

869. Lakshadweep Sea - off Cape Comorin. Charts 263 INT 71. Barge season capsized 07-24.7N, 077-43.1E on 30 Nov 17.

870. India East Coast – off Gopalpur. Charts 31 352 353 INT 71. Army Air Defence firing and BPTA Flight scheduled on 09 Dec 17 from 0130-0830 and 1030-1430 UTC in area bounded by (A) 19-14.6N 084-53.7E (B) 19-07.39N 085-35.94E (C) 18-33.61N 084-53.74E and arc of 41 NM radius joining point B and C.

2. Cancel this MSG 091530 UTC Dec 17.

871. India West Coast. Charts 251 254 255 292 INT 71. Rig list:-

ABAN ICE	19-39.99N 071-35.74E
ABAN III	18-16.38N 072-22.82E
ABAN IV	18-43.45N 072-20.32E
ACTINIA	19-19.57N 071-01.61E
CE THORNTON	18-29.86N 072-15.00E
DEEP SEA FORTUNE	19-37.48N 071-17.52E NEW
DEEP SEA FOSSIL	19-18.12N 071-30.38E NEW
DYNAMIC VISION	19-11.05N 072-11.21E
FG MCCLINTOCK	18-55.85N 072-18.37E
GALVESTON KEY	20-34.64N 072-00.12E
GREAT DRILL CHAAYA	22-37.91N 068-27.04E
GREAT DRILL CHARU	19-38.24N 071-00.92E
GREAT DRILL CHITRA	19-02.13N 072-01.44E

871. Continued.	
JINDAL STAR	19-08.71N 072-07.02E
JINDAL SUPREME	20-16.12N 071-55.14E NEW
NOBLE ED HOLT	20-11.53N 071-52.25E
PARAGON L786	18-34.48N 072-16.77E
PARAGON M 1161	19-27.56N 071-11.24E
PARAMESWARA	20-42.28N 072-12.82E
SAGAR GAURAV	22-49.18N 068-29.11E
SAGAR JYOTI	19-21.09N 071-14.64E
SAGAR KIRAN	18-36.17N 072-01.65E
SAGAR SHAKTI	19-15.49N 072-08.23E
SAGAR UDAY	19-08.42N 070-53.87E
TRIDENT II	19-27.35N 071-17.94E
VALIANT DRILLER	19-39.80N 071-17.59E
VIRTUE-I	20-05.60N 071-48.57E
VIVEKANANDA1	19-15.64N 072-06.59E
VIVEKANANDA2	19-29.98N 071-16.28E
2.	Wide berth requested.
3.	Cancel NAVAREA VIII MSG 839.
872. Lakshadweep Sea - Kochi Port.	Charts 2004 2045 INT 71. Buoy 16 unlit and top mark missing.
873. India East Coast. Charts 355 356 INT 706. Rig list:-	
ABAN ABRAHAM	15-59.05N 081-45.09E
ABAN II	16-31.58N 082-18.81E
DS MATDRILL	16-15.66N 081-41.23E
JACK BATES	16-15.28N 082-12.97E
ESSAR WILDCAT	15-19.57N 080-33.29E
SAGAR RATNA	16-22.43N 081-58.65E
SAGAR VIJAY	16-28.32N 082-22.34E
2.	Wide berth requested.
3.	Cancel NAVAREA VIII MSG 775.
874. India East Coast – off Kakinada.	Charts 31 32 INT 71. Firing by Naval Ships scheduled on 08,09 and 15 Dec 17 from 0300 – 1000 UTC in danger area bounded by 15-30N 083-24E, 16-14N 084-00E, 15-34N 084-46E, 15-08N 084-24E.
2.	Cancel this MSG 151100 UTC Dec 17.
875. NE Indian Ocean.	Chart INT 71. SLFV Tikiri 2 reported adrift 00-38S, 082-34E at 051125 UTC Dec 17.
2.	Cancel this MSG 081125 UTC Dec 17.
876. India West Coast - off Alleppey.	Charts 22 221 INT 71. Unmanned fishing boat reported anchored 280 Alleppey Lt 24 NM.
877. India West Coast.	Charts 21 22 INT 71. Unmanned and submerged fishing boats reported adrift post cyclone okchi.
2.	Mariners to exercise caution and report sightings to MRCC Mumbai at indsar@vsnl.net .
878. India East COAST – off Chennai.	Charts 31 32 391 INT 71. Firing by CG Aircraft scheduled daily from 11 - 17 Dec 17 from 0130 - 1130 UTC in danger area bounded within 12-00N to 12-20N and 082-20E to 082-45E.
2.	Cancel this MSG 171230 UTC Dec 17.
879. Andaman Sea – off Barren I.	Charts 41 473 INT 71. Firing practice scheduled on 11 and 12 Dec 17 from 0430-0930 UTC in danger area bounded within 11-50N to 12-00N and 093-40E to 094-20E.
2.	Cancel this MSG 121030 UTC Dec 17.
880. India West Coast – Okha.	Charts 21 203 2068 INT 71. Firing by Naval Coast Battery scheduled on 12 Dec 17 from 0530-0730 UTC.
2.	Danger sector extending upto 12 NM within bearing 300 to 020 from 22-28.04N 069-04.99E.
3.	Cancel this MSG 120830 UTC Dec 17.
881. India West Coast – off Ratnagiri.	Charts 22 256 293 INT 71. Firing by Naval Ships scheduled on 12 Dec 17 from 0630-1230 UTC in danger area bounded within 16-07.44N to 16-41.44N and 071-25E to 072-00E.
2.	Cancel this MSG 121330 UTC Dec 17.
882. India West Coast – off Tapti ODA.	Charts 21 254 292 INT 71. SV Kamrup progressing geophysical survey in area bounded by 20-45.99N 071-39.59E, 20-46.96N 071-41.65E, 20-36.28N 071-44.43E, 20-37.16N 071-46.54E. Wide berth requested.
2.	Cancel this MSG 311830 Dec 17.
883. India East Coast – off Gopalpur.	Charts 31 352 353 INT 71. Army Air Defence firing and BPTA Flight scheduled on 12,13,14,15,16 Dec 17 from 0130 -0730 and 0830 - 1430 UTC in area bounded by (A) 19-14.6N 084-53.7E (B) 19-07.39N 085-35.94E (C) 18-33.61N 084-53.74E and arc OF 41 NM radius joining point B and C.
2.	Cancel this MSG 161530 UTC Dec 17.
884. Cancel NAVAREA VIII MSG 323, 662 and this MSG.	
885. NAVAREA VIII warnings in force as on 08 Dec 17:-	
	2016 SERIES - 432 464 572 644 723
	2017 SERIES – 016 119 305 345 366 381 394 414 455 485 486 493 511 514 529 543 576
	635 685 697 703 710 713 719 723 748 751 762 780 793 796 805 806 814 816 821 827

<p>885. Continued. 829 834 836 844 846 847 848 849 852 853 854 857 864 865 866 869 870 871 872 873 874 876 877 878 879 880 881 882 883 884 (A) NAVAREA VIII warnings less than 42 days promulgated via SafetyNet. (B) Text of NAVAREA VIII warnings inforce including those which no longer broadcast available in www.hydrobharat.gov.in.</p> <p>2. Cancel this MSG 151000 UTC Dec 17.</p>
<p>886. Bay of Bengal and North East Indian Ocean. Charts 31 308 354 INT 71. Experimental Flight Trial scheduled from ITR on 16,17,18 Dec 17 from 0630-1030 UTC in danger areas bounded by 17-44.53N 083-29.87E, 15-01.92N 082-55.01E, 03-26.94N 086-23.62E, 04-55.55N 090-36.42E, 16-05.58N 085-55.92E, 17-48.20N 083-40.29E and 06-42.27S 088-43.91E, 10-41.43S 089-33.12E, 08-08.42S 096-53.65E, 04-30.42S 095-03.75E.</p> <p>2. Cancel this MSG 181130 UTC Dec 17.</p>
<p>887. Bay of Bengal – off Trincomalee. Charts 359 3014 INT 71. Naval firing practice scheduled on 15 Dec 17 from 0315 – 1030 UTC in danger area bounded within 08-20N TO 08-30N and 081-30E to 081-40E.</p> <p>2. Cancel this MSG 151130 UTC Dec 17.</p>
<p>888. India East Coast – off Chennai. Charts 31 32 391 INT 71. Firing by CG Aircraft scheduled daily from 12 - 17 Dec 17 from 0130 - 1130 UTC in danger area bounded within 12-00N to 12-20N and 080-20E to 080-45E.</p> <p>2. Cancel NAVAREA VIII MSG 878 and this MSG 171230 UTC Dec 17.</p>
<p>889. India East Coast – off Kakinada. Charts 31 INT 71. Firing by Naval Ships scheduled from 141400 – 151330 UTC Dec 17 in danger area bounded by 16-30N 083-38E, 16-30N 084-25E, 15-22N 085-08E, 14-46.2N 085-08E, 14-46.2N 082-52E, 15-22N 082-52E.</p> <p>2. Cancel this MSG 151430 UTC Dec 17.</p>
<p>890. Lakshadweep Sea- off Cape Comorin. Charts 261 INT 71. Small abandoned capsized boat reported adrift 07-16N 077-10E ON 10 Dec 17.</p> <p>2. Cancel THIS MSG 141000 UTC Dec 17.</p>
<p>891. NE Indian Ocean. Chart INT 71. Abandoned fishing boat reported adrift 00-32S 092-28E on 11 Dec 17.</p> <p>2. Cancel this MSG 141000 UTC Dec 17.</p>
<p>892. India West Coast – off Mangalore. Charts 258 272 INT 71. INS Makar progressing survey using towed sonar in areas bounded within (A) 12-47N to 12-49.8N and 074-43.4E to 74-50E (B) 13-00N to 13-02N and 074-43E to 074-46E.</p> <p>2. Wide berth OF 03 NM requested. 3. Cancel this MSG 201830 UTC Dec 17.</p>
<p>893. India West Coast – Gulf of Kachchh. Charts 2018 INT 71. Mungra Reef Lt (22-46N 070-11E) unlit.</p>
<p>894. Central Lakshadweep Sea. Charts 261 INT 71. SLFV Elisha 2 reported adrift 07-32N 074-37E at 111030 UTC Dec 17.</p> <p>2. Cancel this MSG 131030 UTC Dec 17.</p>
<p>895. Cancel NAVAREA VIII 877 and this MSG.</p>
<p>896. Lakshadweep Sea – off Cape Comorin. Charts 223 INT 71. Capsized fishing boat reported adrift 08-00.6N 077-37.4E at 120945 UTC Dec 17.</p> <p>2. Cancel this MSG 151000 UTC Dec 17.</p>
<p>897. Lakshadweep Sea – off Cape Comorin. Charts 223 INT 71. Partially submerged boat Shimus reported adrift 07-34N 077-53E ON 11 Dec 17.</p> <p>2. Cancel this MSG 151000 UTC Dec 17.</p>
<p>898. India East Coast – Central Bay of Bengal. Charts 31 INT 71 706. Firing by Naval Ships scheduled from 171230 – 191530 UTC Dec 17 in danger area bounded by 17-32N 086-18.2E, 17-32N 086-58E, 15-48N 088-18E, 14-56N 088-18E, 14-16N 087-54, 14-16N 086-27E, 14-49N, 085-30E, 16-11N 085-30E</p> <p>2. Cancel this MSG 191630 UTC Dec 17</p>
<p>899. NE INDIAN OCEAN. Chart INT 71 . Experimental Flight Object launch scheduled daily 16 - 18 DEC 17 from 0630 - 1030 UTC in danger area bounded by 06-42.27S 088-43.91E, 10-41.43S 089-33.12E,08-08.42S 096-53.65E, 04-30.42S 095-03.75E.</p> <p>2. Cancel this MSG 181130 UTC Dec 17.</p>
<p>900. Cancel Navarea VIII 806 and this MSG.</p>
<p>901. India West Coast - off Trivandrum. CHARTS 22 222 INT 71. Rocket launch from Thumba (08-31.98N 076-52.05E) scheduled on 20 Dec 17 from 0530-0730 UTC.</p> <p>2. Danger sector (A) Radius of 05 NM from Thumba between azimuth 190 and 300. (B) Radii of 45 and 75 NM from Thumba between azimuth 220 and 260.</p> <p>3. Cancel this MSG 200830 UTC Dec 17.</p>
<p>902. India East Coast – Central Bay of Bengal. Charts 31 INT 71 706. Firing by Naval Ships scheduled on 19 Dec 17 from 0100 – 1130 UTC in danger area bounded by 14-35N 087-14E, 14-03N 087-46E, 13-31N 087-14E, 14-04N 086-41E.</p> <p>2. Cancel this MSG 191230 UTC Dec 17.</p>
<p>903. India East Coast- Vishakhapatnam. Charts 31 308 INT 71. Firing by Naval Coast Battery scheduled on 20 Dec 17 from 0001 - 0130 UTC in danger sector extending upto 17 NM between bearing 070 and 130 from 17-42N 083-18E.</p> <p>2. Cancel this MSG 200230 UTC Dec 17.</p>

- 904. Andaman Sea – off Barren I.** Charts 41 473 INT 71. Firing practice scheduled on 21,22 AND 27,28 Dec 17 from 0430-0930 UTC in danger area bounded within 11-50N to 12-00N and 093-40E to 094-20E.
2. Cancel this MSG 281030 UTC Dec 17.
-
- 905. NAVAREA VIII warnings in force as on 15 Dec 17:-**
- 2016 SERIES** - 432 464 572 644 723
- 2017 SERIES** – 016 119 305 345 366 381 394 414 455 485 486 493 511 514 529 543 576
635 685 697 703 710 713 719 723 751 762 780 793 796 805 814 816 821 827 829 834
836 844 846 848 849 852 853 854 857 864 866 869 871 872 873 876 882 883 886 888
892 893 898 899 901 902 903 904
- (A) NAVAREA VIII warnings less than 42 days promulgated via SafetyNet.
- (B) Text of NAVAREA VIII warnings inforce including those which no longer broadcast available in www.hydrobharat.gov.in.
2. Cancel this MSG 221000 UTC Dec 17.

SECTION – VI
CORRECTIONS TO SAILING DIRECTIONS (PILOTS)

Bay of Bengal Pilot (INP-2)
Chapter –2

Page 104, Article 2.41:

Delete text ‘Pondicherry’ and replace by ‘Puducherry’.

Page 104, Article 2.42, Para 1, Line 7:

Delete text ‘2.5m’ and replace by ‘3m’.

Page 105, Article 2.45, Insert text after Para 1:

2 Open anchorage without any shelter afforded, vessels anchoring for lighterage operation can hire steel barges and wooden boats.

Article 2.46, Para 8, Line 2&3 Replace after ‘The director of ports’:

No.1, Dumas Street, Puducherry - 605001.

Chapter –8

Page 283, Article 8.37, Para 17, Line 3:

Delete text ‘4.1m’ and replace by ‘2.7m’.

Para 20, Line 2:

Delete text ‘7.3m’ and replace by ‘4.6m’.

Page 287, Article 8.46, Insert text after Para 12:

13 **Shallow Bay** (12° 54'.72 N, 92° 52'.30E) lies NW of Mayabundar jetty and is an area with shallow depth. The area is accessible with shallow bottom boats/crafts and is mainly utilised by fisherman.

SECTION – VII
CORRECTIONS TO LIST OF LIGHTS

No	Name & Location	Position (Lat-Long)	Characteristics	Ht. (mts)	Range (miles)	Structure & Height (mts)	Remarks
F0367.8	GULF OF KACHCHH - Mungra Reef	22 45.60 N 70 11.01 E	FI(2)W 15s	7	10	White round concrete tower, red bands 10	TE 2017 *
F0737	Vember	09 04.63 N 78 21.90 E	FI(3)W 10s	30	20	Octagonal RCC tower, Black & white horizontal bands 30	*
* F1376.3	* Pangkalan Dodek	* 03 24.86 N 99 19.55 E	* Mo(U)W 10s	* 18	* 10	* White beacon 15	* (fl 0.5, ec 0.5) x 2, fl 1.5, ec 6.5. *
* F1384.6	* Sei Berombang	* 02 36.90 N 100 07.17 E	* FI W 4s	* 18	* 10	* White beacon 15	* fl 1, ec 3. *
* F1740.8	* - CC	* 01 23.57 N 103 59.12 E	* FI G 2s	* 2	* 3	* Green Δ on green post	* *
D7114	MATHURIN BAY - Port Mathurin	19 40.76 S 63 25.34 E	F G VQ G 0.5s FI W 1.5s VQ R 0.5s F R By day	..	20	..	G160°- 161° (1°). G161°-163° (2°). W163°-167° (4°). R167°-169° (2°). R169°-170° (1°). *
- -	- -	..	By day	..	5		*

SECTION – VIII
CORRECTION TO LIST OF RADIO SIGNALS

INP 31(1), 2014

(Last correction: Edition No. 22 dated 16 Nov 2017)

NIL

INP 31(2), 2014

(Last correction: Edition No. 23 dated 01Dec 2017)

NIL

INP 31(5), 2017

(First correction for New Edition 2017)

PAGE 70, JORDAN.

Delete entry

(Source: BA 48/17)

(24 /17)

INP 31(6), 2012

(Last correction: Edition No. 14 dated 16 Jul 2017)

NIL

SECTION – IX

REPORTING OF NAVIGATIONAL DANGERS

Appeal to all Mariners

1. Mariners at sea whilst on passage, or whilst entering / leaving ports / harbours and other waterways, are requested to look out for new or suspected dangers to navigation, changes in aids to navigation, or corrections to published charts and Sailing Directions. Whenever any such changes / dangers are observed, mariners are requested to notify the same to the Chief Hydrographer to the Government of India at the following address: -

National Hydrographic Office
107-A, Rajpur Road,
Dehradun - 248001
(UTTARAKHAND), INDIA
e-mail: - inho@navy.gov.in, msis-inho@navy.gov.in
Fax No.: +91-135- 2748373
WEB: www.hydrobharat.gov.in

Instructions for filling up IH 102

2. Kindly follow the instructions below in order to help the Hydrographic Office (the recipient) to quickly issue NAVAREA warning / Notice to Mariners for the benefit of all other mariners at sea.

Position Reporting

3. Accurate position or knowledge of position error is of great importance. Latitude and Longitude should only be used to specify position details when they have been fixed by GPS or Astronomical Observations. A full description of the method, equipment, time and datum (WGS 84/ Everest/ Other) used should be given. When position is defined by sextant angles or bearings (true or magnetic to be specified), more than two bearings should be used in order to provide a redundancy check. Distances observed by Radar should be corrected for index errors. Where position is derived after the event, from other observations and/or Dead Reckoning, the methodology of deriving the position should be included.

4. Paper Charts. A copy/tracing of largest scale chart is the best medium for forwarding details, the alterations and additions being shown thereon in red, but adequate details from the chart must be traced in black ink to enable the amendments to be fitted correctly.

5. ENCs. A Screen shot of largest scale usage band ENC with the alterations and additions being shown thereon in red. If it is to report an issue with the display of an ENC, a screen shot of the affected cell should be sent along with details of the ECDIS make and version in use at the time.

Depth Reporting

6. When soundings are obtained using echo sounders, the echo sounding trace should be duly annotated with date, times, position, depths, etc., and forwarded with the IH102. It is important to state whether the echo sounder is set to register depths below the surface or below the keel; in the latter case the vessel's draught should be given. Time and date should be given in order that corrections for the height of the tide may be made where necessary. The make, name and type of echo sounder should also be given.

7. For modern echo sounders that use electronic 'range gating', care should be taken that the correct range scale and appropriate gate width are in use. Older electro-mechanical echo sounders frequently record signals from echoes received back after one or more rotations of the stylus have been completed. Thus with a set whose maximum range is 500m, an echo recorded at 50m may be from depths of 50m, 550m or even 1050m. Soundings recorded beyond the set's nominal range can usually be recognised by the following:

- (a) the trace being weaker than normal for the depth recorded;
- (b) the trace passing through the transmission line;
- (c) the feathery nature of the trace.

As a check that apparently shoal soundings are not due to echoes received beyond the set's nominal range, soundings should be continued until reasonable agreement with charted soundings is reached. However, soundings received after one or more rotations of the stylus can still be useful and should be submitted if they show significant differences from the charted depths. Efforts should be made to identify and negate false echoes if any. The Mariners Handbook (NP100) and Notice 15 Special Edition of Notice to Mariners may be consulted.

8. Reports which cannot be confirmed or are lacking in certain details should not be withheld. Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be notified.

9. Reports of **shoal soundings**, uncharted dangers and aids to navigation out of order should, at the mariner's discretion, also be made by radio to the nearest coast radio station. The draught of modern tankers in such that any uncharted depth under 30 meters or 15 fathoms may be of sufficient importance to justify a radio message.

10. Changes to Port information should be forwarded on Form IH.102A together with form IH.102. Form 102A contains the information required for Sailing Directions and should be used as an *aide memoir*. The Mariners Handbook, NP100, Chapter 8 gives general instructions. Where there is insufficient space on the forms an additional sheet should be used.



Please Note: - An acknowledgement will be sent by National Hydrographic Office for Hydrographic Notes, on receipt. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless the information is also received from other authorities/ foreign Notices to Mariners. Further, communication from National Hydrographic Office to the sender of Hydrographic Notes will only be necessary to verify unusual features or abnormal values reported.




HYDROGRAPHIC NOTE				IH.102 (Revised 2012)	
For Forwarding information for Indian Charts, ENCs and Publications and reporting of ENC related issues					
Date			Ref. Number		
Name of the Ship or Sender					
Address					
Tel/FAX/E-mail address					
Observation Date			Time (UTC/IST)		
Object of Changes Observed (Tick appropriate)	<input type="checkbox"/> Bathymetry	<input type="checkbox"/> Nav. Dangers	<input type="checkbox"/> Nav. aids		
	<input type="checkbox"/> Designated Areas	<input type="checkbox"/> Others			
Geographical Position (See Instructions Overleaf)	Latitude			Longitude	
Position Method	<input type="checkbox"/> DGPS	<input type="checkbox"/> GPS	<input type="checkbox"/> Radar	<input type="checkbox"/> Others	
Datum Used	<input type="checkbox"/> WGS84	<input type="checkbox"/> Everest	<input type="checkbox"/> Others		
Charts Affected				Edition	
Latest Edition of Indian Notices to Mariners Held					
Tracing/Plot/Photograph if enclosed					
ENCs Affected					
Latest Update Disk Held					
Publication Affected				Edition	
Page No./Light No. etc					
Details:					
Limitations if any in Reporting the Changes Above					
Details of Documents/Photos attached:					
Signature of the Master/Reporter/Observer					

HYDROGRAPHIC NOTE FOR PORT INFORMATION (To accompany Form IH.102)		IH.102A (Revised 2012)	
Date		Ref. No.	
Name of the Ship or Sender			
Address			
Tel/Fax/E-mail			
1. NAME OF PORT			
Location	Latitude		Longitude
2. GENERAL REMARKS			
Principal activities and trade			
Number of ships and tonnage handled per year			
Maximum size of draught of vessel handled			
Copy of Port handbook (if available)			
3. ANCHORAGES			
Type / Purpose			
Minimum depth at anchorage			
Shelter afforded			
Holding ground			
Recommended pilotage to the anchorage			
4. PILOTAGE			
Authority for request			
Embarkation position			
Regulations			
Documents to be provided			
Recommended pilotage to approach of Harbour and Berths			
Information on VTMS			
5. DIRECTIONS			
Entry and Berthing Information			
Tides (Height)			
Tidal Stream Information			
Wind Speed and Direction			
Navigational Aids (Beacons / Buoys / Lights / Etc.)			
6. POLLUTION CONTROL			
Local regulation in force (If Any)			
7. TUGS			
Number available / Tug type			
Maximum HP / Bollard pull			

7. TUGS (Continued)	
Requesting authority	
Availability timing / Communication	
Hiring charges	
8. BERTHING AND WHARVES	
Type & Number of berths available	
Length	
Depth alongside	
Facilities available	
Procedure for requesting berth & hiring charges	
9. CARGO HANDLING	
Containers	
Lighters & Ro-Ro etc.	
10. CRANES	
Brief details of Max. lifting capacity, Height of boom at wharf level and Outreach	
Container handling facilities	
11. BRIDGES	
Vertical clearance	
12. REPAIRS	
Hull machinery and underwater	
Ship and Boat yards	
Docking or Slipway facilities (Size/ Dimensions of vessels handled)	
Hards and Ramps	
Divers / Diving assistance	
13. SERVICES	
Radio / FAX / Telephone / Internet etc.	
Medical	
Quarantine	
Consul	
Ship chandlery and Stevedores	
Compass adjustment	
Tank cleaning	
Hull painting	
Police / Ambulance / Firefighting (Fixed and Mobile facilities)	
Nav. Warning and Weather bulletin	
Garbage disposal / Waste oil disposal	
Helicopter landing facilities	

14. RESCUE & DISTRESS	
Salvage, Lifeboat, Life guards, etc	
15. SUPPLIES	
Fuel (Type, Quantities & Method of delivery)	
Fresh water (Method of delivery and Rate of supply)	
Provisions	
Chart agents	
16. COMMUNICATIONS	
Road, Rail and Air services available	
Nearest airport or airfield	
Port Radio and Information Service (Frequencies and Operating Hours)	
17. PORT AUTHORITY	
Designation, Address, Telephone, E-mail Address and Website	
18. SECURITY	
Security of ports / International Ship and Port Facility Security (ISPS) compliance	
Custom and Immigration Regulations in force	
19. SMALL CRAFT FACILITIES	
Information and facilities for small craft, yachts visiting the port	
Yacht clubs, berths etc	
20. SHORT LEAVE	
21. CLUBS RECREATION	
Information Kiosk (Location)	
Foreign Exchange firms / Banks (Within / Near Port Area)	
Places of interest near port	
22. VIEWS	
Photographs(Duly annotated) of the approaches, leading marks, the entrance to the harbour etc.	
23. ADDITIONAL DETAILS	
Any other information considered to be useful for the mariners	
SIGNATURE OF THE OBSERVER / REPORTER / MASTER	



FOR 24 X 7 SAR ASSISTANCE IN INDIAN SRR

Email: indsar@vsnl.net

NATION WIDE SAR TELE: 1554 (LAND LINE)

INMARSAT C (IOR) 441907210 CODE: 43 (TOLL FREE)

AFTN: VABBYXYC